



Manual Marking

World leading solutions for
industrial marking, product
identification and traceability

pryormarking.com

PRYOR


Alphanumeric Pryor Fount Set

Complete set for marking numbers and letters with hand and hammer

- Apply multi-character letter and number inscriptions to components and products up to a maximum hardness of 38 Rockwell C
- Sharp faced engraving style
- 9 Character sizes available

Character size		Fount Set with Holder	Holder Capacity Hand and Hammer Use	Fount Set without Holder
mm	inch			
1.00	.040	TPFH010	12 characters	TPF010
1.50	1/16	TPFH015	12 characters	TPF015
2.00	5/64	TPFH020	14 characters	TPF020
2.50	3/32	TPFH025	12 characters	TPF025
3.00	1/8	TPFH030	9 characters	TPF030
4.00	5/32	TPFH040	9 characters	TPF040
5.00	3/16	TPFH050	8 characters	TPF050
6.00	1/4	TPFH060	6 characters	TPF060
10.00	3/8	TPFH100	6 characters	TPF100

Set Comprises:

Q V Y Z &	1 each	
B C D F G H J K M P T W X / - . ,	2 each	
A I L N O R S U 3 5 6 7 8 9 0	3 each	
E 1 2 4	4 each	
Spacer pieces for non-marking positions	12 each (1.0mm – 5.0mm set) 6 each (6.0mm – 10mm set)	
Single row Hand Holder & Allen Wrench	1 each	

COMPATIBLE ACCESSORIES	Page ref.	Description	Product Code
Economy Safety Grip	P37	For use with all Pryor Punches and 1mm – 5mm Type Hand Holders	GRIP0004

Pryor Type - dimensions

Character size		Blank size					
(H)		Length (C)		North/South (B)		East/West (A)	
mm	inch	mm	inch	mm	inch	mm	inch
1.00	.040	15.87	5/8	3.20	1/8	1.60	1/16
1.50	1/16	15.87	5/8	3.20	1/8	1.60	1/16
2.00	5/64	19.05	3/4	6.40	1/4	2.00	5/64
2.50	3/32	19.05	3/4	6.40	1/4	2.50	3/32
3.00	1/8	19.05	3/4	6.40	1/4	3.20	1/8
4.00	5/32	19.05	3/4	8.00	5/16	4.00	5/32
5.00	3/16	19.05	3/4	8.00	5/16	4.80	3/16
6.00	1/4	19.05	3/4	9.50	3/8	6.40	1/4
10.00	3/8	25.40	1	16.00	5/8	9.50	3/8


How to measure the Pryor Type blank:

Dimension A = blank width also known as East/West


Dimension B = blank height also known as North/South

Dimension C = blank length which includes the engraved character

Dimension H = character height measured from the "crown" of the character




Always take the character size measurement from the "crown" of the character.



Alphanumeric Font Set Packaging

1.0mm – 5.0mm Set



6.0mm Set



10mm Set



Pryor Type Spares

Additions/Replacements

- Additional or replacement parts for Pryor Interchangeable Type
- Numbers, letters, punctuation and blank spacers (supplied in a zip-bag)
- Hand Holders available (supplied in a carton)

Pryor Type - sharp faced characters to indent a positive impression

Character size		Single Characters	Sets of 26 Letters	Sets of 10 Figures	Blank Spacers for non-marking positions
mm	inch				
1.00	.040	TP010(char)	TP26010	TP10010	SP015
1.50	1/16	TP015(char)	TP26015	TP10015	SP015
2.00	5/64	TP020(char)	TP26020	TP10020	SP020
2.50	3/32	TP025(char)	TP26025	TP10025	SP025
3.00	1/8	TP030(char)	TP26030	TP10030	SP030
4.00	5/32	TP040(char)	TP26040	TP10040	SP040
5.00	3/16	TP050(char)	TP26050	TP10050	SP050
6.00	1/4	TP060(char)	TP26060	TP10060	SP060
10.00	3/8	TP100(char)	TP26100	TP10100	SP100

Hand Holders for Pryor Type

Character size		Compatible Hand Holder	Character Capacity	Compatible Hand Holder	Character Capacity
mm	inch				
1.00	.040	H3.2-20	12	-	-
1.50	1/16	H3.2-20	12	-	-
2.00	5/64	H6.35-29	14	H6.35-39	19
2.50	3/32	H6.35-29	12	H6.35-39	16
3.00	1/8	H6.35-29	9	H6.35-39	12
4.00	5/32	H8.0-39	9	-	-
5.00	3/16	H8.0-39	8	-	-
6.00	1/4	H9.6-40	6	-	-
10.00	3/8	H16-57	6	-	-

Contact Us

Pryor is a truly global corporation. From its historic headquarters in Sheffield, UK it manages subsidiaries, joint ventures and distribution partners on 5 continents and in over 60 countries around the world.

For your local distributor please contact Pryor UK

Pryor UK (global headquarters)

Website: www.pryormarking.com

Address: Pryor Marking Technology, Egerton Street, Sheffield, S1 4JX, UK

Phone: +44 (0) 114 2766044

Email: info@pryormarking.com

Pryor Group Companies

Pryor Technology Inc. was established in 2017 in order to provide our long established North American customer base with improved delivery times and customer service. Located in Richmond, Virginia our new office and warehouse will serve the whole North American market.

Website: www.pryortechnology.com

Address: Pryor Technology Inc., 303A Ashcake Road, Ashland, VA 23005, USA

Phone: +1 (804) 4966669

Email: sales@pryortechnology.com

Pryor Technologie S.A.S (formerly Mecagrav Industrie) is a historic French brand synonymous with high quality industrial marking and engraving. In 1989 Mecagrav, still run from its Paris headquarters, became a wholly owned member of the Pryor Group.

Website: www.pryortechnologie.fr

Address: Pryor Technologie, 6, avenue de norvège, 91140 Villebon-sur-Yvette, B.P.48, France

Phone: +33 (0)1 69 28 50 45

Email: info@pryortechnologie.fr

Marks Pryor Pvt. Ltd. is a joint venture partnership located in Pune, India. For over 10 years it has been market leader in the Indian market for local design and manufacture of permanent marking solutions.

Website: www.markspryor.com

Phone: +91 1800 209 5050

Email: info@markspryor.com